

# CLICWALL CORNER FINISHING

Inspiration on how to finish  
your Clicwall panels



*Proudly Distributed in Australia by:*



As well as ensuring that your walls are installed with efficiency and sustainability in mind, you can choose from plenty of quick-fit finishing options for corners, windows, and doors for an elegant flourish.

## Inner corners



### **Open joint:** quick and simple

Ideal when conditions are dry. During installation, leave a few millimetres free between the Clicwall wall panels for a stylish look.

---

### **Sealed inner joint:** quick and waterproof

The smart choice, especially for humid environments that call for optimum protection. During installation, keep a few millimetres free between the panels and glue together afterwards for a complete seal.

- Kit adapted to installation area
  - Available from dealer
- 



### **Aluminium inner corner profile:** for a dash of elegance

Want to add a touch of something special? This stylish inner corner profile is the answer.

- Available lengths: 2785 mm and 3500 mm (10 pcs)
  - Black/white/aluminium in stock
  - Lacquered in preferred colour on request
- 

### **Flexible MDF profile:** for rapid inner corner and expansion joint finishing

Ideal for modular units.

- Available length: 2750mm (10 pcs)
  - Available in the following colours: 00025 CST, 00025 W03, 0F989 BST, 0H163 BST, 0H450 V9A, 0H588 V8A, 0H784 W06, 0H786 W06, 0U127 CST, 0U174 CST or go for a paintable version with high-quality white primer layer.
  - Other colours available on request
- 



## External corners



**Edged panels:** for a quality finish that combines aesthetics with sustainability

Simply remove the tongue from the panel and use the matching edging tape from Unilin for finishing.

- 23x1 mm - 75 m/roll
- The full Unilin Decorative Range available in ABS edging tape
- Other colours on request

**Aluminium external corner profile:** streamlined and refined

During installation, place the profile between the Clicwall panels to ensure seamless finishing.

- Available lengths: 2785 mm and 3500 mm (10 pcs)
- Black/white/aluminium in stock
- Lacquered in preferred colour on request



**Aluminium L-profile:** for rapid, impact-resistant finishing

Conceal open edges with ease by fitting an aluminium profile after installation. This profile offers long-term protection.

- Available lengths: 2785 mm and 3500 mm (10 pcs)
- Black/white/aluminium in stock
- Lacquered in preferred colour on request

**MDF exterior corner profile:** for rapid exterior corner and expansion joint finishing

Ideal for modular units.

- Available lengths: 2750 mm (10 pcs)
- Available in the following colours: 00025 CST, 00025 W03, OF989 BST, OH163 BST, OH450 V9A, OH588 V8A, OH784 W06, OH786 W06, OU127 CST, OU174 CST or go for a paintable version with high-quality white primer layer.
- Other colours available on request



# CLICWALL CORNER FINISHING



## Unilin Panels

Ingelmunstersteenweg 229  
8780 Oostrozebeke  
Belgium  
T +32 56 66 70 21  
info.panels@unilin.com  
www.unilinpanels.com

*Proudly Distributed in Australia by:*



**ITI QLD (Brisbane)**  
62 Creek St, Bundamba, QLD 4304  
07 3436 8400 | salesqld@iti.net.au  
**ITI SA (Adelaide)**  
82-94 Grand Trunkway, Gillman, SA 5013  
08 8447 0400 | salessa@iti.net.au  
**ITI VIC (Melbourne)**  
68-80 Kirkham Rd W, Keysborough, VIC 3173  
03 9392 8400 | salesvic@iti.net.au

**ITI NSW (Sydney)**  
59 Dunheved Circuit, St Marys, NSW 2760  
02 8805 5000 | salesnsw@iti.net.au  
**ITI NSW (Newcastle)**  
19 Nelson Rd, Cardiff, NSW 2285  
02 4953 7666 | salesnc@iti.net.au  
**ITI WA (Perth)**  
102-108 Bannister Rd, Canning Vale, WA 6155  
08 9256 5700 | saleswa@iti.net.au

*For more information:*



[www.itiaustralia.com.au/clicwall](http://www.itiaustralia.com.au/clicwall)